PERIODIC
UNIVERSITY OF HAWAII
LIBRARY

Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
P. Berg
M. Cohn
P. Doty
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
A. Novick
D. C. Phillips
G. S. Stent

VOLUME 18
June to July 1966

ACADEMIC PRESS
LONDON and NEW YORK

QH301
J73

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

679166

QH301
J73
v.18

5856-79

CONTENTS OF VOLUME 18

Number 1, June 1966

Sobell, H. M., The Crystal Structure of a Purine–Pyrimidine Hydrogen-bonded Complex: 9-Ethyl-2-aminopurine and 1-Methyl-5-fluorouracil . 1

Moore, P. B., Polynucleotide Attachment to Ribosomes 8

Moore, P. B. and Asano, K., Divalent Cation-dependent Binding of Messenger to Ribosomal RNA 21

Moore, P. B., Methylation of Messenger RNA in *Escherichia coli* 38

Davies, J., Jones, D. S. and Khorana, H. G., A Further Study of Misreading of Codons induced by Streptomycin and Neomycin using Ribopolynucleotides containing Two Nucleotides in Alternating Sequence as Templates 48

Tikchonenko, T. I., Dobrov, E. N., Velikodvorskaya, G. A. and Kisseleva, N. P., Peculiarities of the Secondary Structure of Phage DNA *in situ* . 58

Hershey, J. W. B. and Monro, R. E., A Competitive Inhibitor of the GTP Reaction in Protein Synthesis 68

Appella, E. and Tomkins, G. M., The Subunits of Bovine Liver Glutamate Dehydrogenase: Demonstration of a Single Peptide Chain . . . 77

Kurland, C. G., The Requirements for Specific sRNA Binding by Ribosomes . 90

Frankel, F. R., The Absence of Mature Phage DNA Molecules from the Replicating Pool of T-even-infected *Escherichia coli* 109

Frankel, F. R., Studies on the Nature of Replicating DNA in T4-infected *Escherichia coli* 127

Frankel, F. R., Studies on the Nature of the Replicating DNA in *Escherichia coli* infected with Certain *Amber* Mutants of Phage T4 144

Roger, M., Beckmann, C. O. and Hotchkiss, R. D., Separation of Native and Denatured Fractions from Partially Denatured Pneumococcal DNA . 156

Roger, M., Beckmann, C. O. and Hotchkiss, R. D., Fractionation of Denatured Pneumococcal DNA: Evidence for Resolution of Complementary Strands. 174

Kingsbury, D. W., Newcastle Disease Virus RNA. I. Isolation and Preliminary Characterization of RNA from Virus Particles 195

Kingsbury, D. W., Newcastle Disease Virus RNA. II. Preferential Synthesis of RNA complementary to Parental Viral RNA by Chick Embryo Cells . 204

Letter to the Editor—

Walker, P. M. B. and McCallum, M., Renaturation of T4 Bacteriophage Deoxyribonucleic Acid in the Presence of Excess Heterologous DNA 215

NUMBER 2, JULY 1966

KAJI, H., SUZUKA, I. and KAJI, A., Binding of Specific sRNA to Template Ribosome Complex: Effect of Proteolytic Enzymes 219

RADDING, C. M., Regulation of λ Exonuclease. I. Properties of λ Exonuclease Purified from Lysogens of λ_{TII} and Wild Type 235

RADDING, C. M. and SHREFFLER, D. C., Regulation of λ Exonuclease. II. Joint Regulation of Exonuclease and a New λ Antigen 251

ABELSON, J. and THOMAS, C. A. Jr., The Anatomy of the T5 Bacteriophage DNA Molecule 262

APPENDIX: RHOADES, M. and THOMAS, C. A. Jr., Radiophosphorus-induced Single-chain Interruptions in DNA 288

ECKHART, W., Replication of Secondary Bacteriophage Genomes in Heterologous and Homologous Superinfections 292

ROSSET, R., JULIEN, J. and MONIER, R., Ribonucleic Acid Composition of Bacteria as a Function of Growth Rate 308

AUDLEY, B. G. and COCKBAIN, E. G., Structural Stability of the Protein Microfibrils of *Hevea brasiliensis* Latex. 321

BAYLEY, S. T., Reassociation of Dissociated Structural Protein with Ribosomal Particles of an Extremely Halophilic Bacterium 330

JAYARAMAN, K., MÜLLER-HILL, B. and RICKENBERG, H. V., Inhibition of the Synthesis of β-Galactosidase in *Escherichia coli* by 2-Nitrophenyl-β-D-Fucoside 339

BODLEY, J. W. and DAVIE, E. W., A Study of the Mechanism of Ambiguous Amino Acid Coding by Poly U: The Nature of the Products 344

GESTELAND, R. F., Unfolding of *Escherichia coli* Ribosomes by Removal of Magnesium 356

ERIKSON, R. L., Fractionation of Viral-specific Ribonucleic Acid by Cesium Sulfate Equilibrium Density-gradient Centrifugation 372

Letter to the Editor—

WACKER, A., LODEMANN, E., GAURI, K. and CHANDRA, P., Synthesis and Coding Properties of 2-Aminopurine Polyribonucleotide 382

NUMBER 3, JULY 1966

LANG, G. and MARSHALL, W., Mössbauer Effect in Some Haemoglobin Compounds 385

BERNHARD, S. A., LEE, B. F. and TASHJIAN, Z. H., On the Interaction of the Active Site of α-Chymotrypsin with Chromophores: Proflavin Binding and Enzyme Conformation during Catalysis 405

BALTIMORE, D., Purification and Properties of Poliovirus Double-stranded Ribonucleic Acid 421

HUTCHISON, C. A., III and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. X. Mutations in a ϕX Lysis Gene 429

HAYWOOD, A. M. and HARRIS, J. M., Actinomycin Inhibition of MS2 Replication 448

INMAN, R. B., A Denaturation Map of the λ Phage DNA Molecule determined by Electron Microscopy 464

HAYES, D. H., GRUNBERG-MANAGO, M. and GUÉRIN, M. F., Interactions between Homopolyribonucleotides and Bacterial Ribonucleic Acid in Solutions of High Ionic Strength. Part I 477

HAYES, D. H., HAYES, F. and GUÉRIN, M. F., Association of Rapidly Labelled Bacterial RNA with Ribosomal RNA in Solutions of High Ionic Strength. Part II 494

LIEBERMAN, R. and POTTER, M., Close Linkage in Genes controlling γA and γG Heavy Chain Structure in BALB/c Mice 516

BRIMACOMBE, R. L. C. and REESE, C. B., Preparation and Properties of Some Methylated Polycytidylic Acids 529

Letters to the Editor—

LUNT, M. R. and SINSHEIMER, R. L., Inhibition of Ribonucleic Acid Bacteriophage Growth by Actinomycin D 541

GREER, J., PERUTZ, M. F. and RUMEN, N., Lattice Constants of Lamprey Haemoglobin 547

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_june-july-1966_18_contents

Index to Volume 18

ABELSON, J. & THOMAS, C. A., Jr., The anatomy of the T5 bacteriophage DNA molecule, 262
Actinomycin D inhibiting growth of RNA bacteriophage, 541
— inhibition of MS2 replication, 448
Amber mutants of phage T4, studies on the nature of the replicating DNA in infected *Escherichia coli*, 144
Amino acid, ambiguous coding by poly U, 344
Aminopurine–fluorouracil complex, structure, 1
2-Aminopurine polyribonucleotide, synthesis and coding properties, 382
APPELLA, E. & TOMKINS, G. M., The subunits of bovine liver glutamate dehydrogenase: demonstration of a single peptide chain, 77
ASANO, K. (see MOORE, P. B.), 21
AUDLEY, B. G. & COCKBAIN, E. G., Structural stability of the protein microfibrils of *Hevea brasiliensis* latex, 321

Bacteria, RNA composition as a function of growth rate, 308
Bacterial RNA interacting with homopolyribonucleotides in solutions of high ionic strength, 477
— —, rapidly labelled, association with ribosomal RNA in solutions of high ionic strength, 494
Bacteriophage DNA, absence of mature molecules from the replicating pool of T-even-infected *Escherichia coli*, 109
— — *in situ*, peculiarities of the secondary structure, 58
— — molecule, a denaturation map determined by electron microscopy, 464
Bacteriophage genomes, replication in heterologous and homologous superinfections, 292
— (MS2) growth inhibited by actinomycin D, 541
— MS2 replication inhibited by actinomycin, 448
— ϕX174, the process of infection. X. Mutations in a ϕX lysis gene, 429
— T4 *amber* mutants, the replicating DNA in infected *Escherichia coli*, 144
— — DNA renatured in the presence of excess heterologous DNA, 228
— —-infected *Escherichia coli*, studies on the nature of the replicating DNA, 127
— T5 DNA molecule, the anatomy, 262
Bacterium *Halobacterium cutirubrum*, reassociation of the dissociated ribosomal protein, 330
BALTIMORE, D., Purification and properties of poliovirus double-stranded RNA, 421
BAYLEY, S. T., Reassociation of dissociated structural protein with ribosomal particles of an extremely halophilic bacterium, 330
BECKMANN, C. O. (see ROGER, M.), 156, 174
BERNHARD, S. A., LEE, B. F. & TASHJIAN, Z. H., On the interaction of the active site of α-chymotrypsin with chromophores: proflavin binding and enzyme conformation during catalysis, 405
BODLEY, J. W. & DAVIE, E. W., A study of the mechanism of ambiguous amino acid coding by poly U: the nature of the products, 344
BRIMACOMBE, R. L. C. & REESE, C. B., Preparation and properties of some methylated polycytidylic acids, 529

Cells of chick embryo synthesizing RNA complementary to parental RNA from Newcastle disease virus, 204
CHANDRA, P. (see WACKER, A.), 382
Chromophores interacting with α-chymotrypsin: proflavin binding and enzyme conformation during catalysis, 405
α-Chymotrypsin, on the interaction of the active site with chromophores: proflavin binding and enzyme conformation during catalysis, 405
COCKBAIN, E. G. (see AUDLEY, B. G.), 321
Codon misreading induced by streptomycin and neomycin, with ribopolynucleotides containing two nucleotides in alternating sequence as templates, 48

Davie, E. W. (see Bodley, J. W.), 344
Davies, J., Jones, D. S. & Khorana, H. G., A further study of misreading of codons induced by streptomycin and neomycin using ribopolynucleotides containing two nucleotides in alternating sequences as templates, 48
Dehydrogenase, glutamate, of bovine liver, the subunits: demonstration of a single peptide chain, 77
Deoxyribonucleic acid, denatured pneumococcal, fractionation: evidence for resolution of complementary strands, 174
— — from bacteriophage, absence of mature molecules from the replicating pool of T-even-infected *Escherichia coli*, 109
— — molecule of T5 bacteriophage, the anatomy, 262
— — of bacteriophage *in situ*, peculiarities of the secondary structure, 58
— — — T4, renaturation in the presence of excess heterologous DNA, 228
— — of phage molecule, a denaturation map determined by electron microscopy, 464
— —, partially denatured pneumococcal, from which native and denatured fractions are separated, 156
— —, radiophosphorus-induced single-chain interruptions, 288
— —, replicating, in *Escherichia coli* infected with certain *amber* mutants of phage T4, 144
— — —, in T4-infected *Escherichia coli*, 127
Dobrov, E. N. (see Tikchonenko, T. I.), 58

Eckhart, W., Replication of secondary bacteriophage genomes in heterologous and homologous superinfections, 292
Electron microscopic study of a denaturation map of the phage DNA molecule, 464
Enzyme conformation during catalysis on the interaction of the active site of α-chymotrypsin with chromophores, 405
Enzymes, proteolytic, their effect on ribosomes, 219
Equilibrium density-gradient centrifugation, cesium sulfate, used to study the properties of viral-specific RNA, 372
Erikson, R. L., Fractionation of viral-specific RNA by cesium sulfate equilibrium density-gradient centrifugation, 372
Escherichia coli, β-galactosidase, inhibition of the synthesis by 2-nitrophenyl-β-D-fucoside, 339
— — infected with bacteriophage T4, studies on the nature of the replicating DNA, 127
— — — certain *amber* mutants of phage T4, studies of the replicating DNA, 144
— — — T-even phage, the absence of mature phage DNA molecules from the replicating pool, 109
— — methylation of the messenger RNA, 38
— — ribosomes, unfolding by removal of magnesium, 356
9-Ethyl-2-aminopurine and 1-methyl-5-fluorouracil: the crystal structure of the complex, 1
Exonuclease, λ, regulation. I. Properties of λ exonuclease purified from lysogens of λ_{T11} and wild type, 235
— — — II. Joint regulation of exonuclease and a new λ protein, 251

Fluorouracil–aminopurine complex, structure, 1
Frankel, F. R., The absence of mature phage DNA molecules from the replicating pool of T-even-infected *Escherichia coli*, 109
— Studies on the nature of the replicating DNA in *Escherichia coli* infected with certain *amber* mutants of phage T4, 144
— — — — — — T4-infected *Escherichia coli*, 127

β-Galactosidase, inhibition of the synthesis in *Escherichia coli* by 2-nitrophenyl-β-D-fucoside, 339
Gauri, K. (see Wacker, A.), 382
Genes controlling γA and γG heavy chain structure in BALB/c mice, close linkage, 516
Genomes of bacteriophage, replication in heterologous and homologous superinfections, 292
Gesteland, R. F., Unfolding of *Escherichia coli* ribosomes by removal of magnesium, 356
Glutamate dehydrogenase of bovine liver, the subunits: demonstration of a single peptide chain, 77
Greer, J., Perutz, M. F. & Rumen, N., Lattice constants of lamprey haemoglobin, 547
Grunberg-Manago, M. (see Hayes, D. H.), 477
Guanosine triphosphate reaction in protein synthesis, a competitive inhibitor, 68
Guérin, M. F. (see Hayes, D. H.), 477, 494

Haemoglobin compounds studied by Mössbauer spectrometry, 385
—, lamprey, lattice constants, 547
Halobacterium cutirubrum, reassociation of the dissociated ribosomal protein, 330
Harris, J. M. (see Haywood, A. M.), 448
Hayes, D. H., Grunberg-Manago, M. & Guérin, M. F., Interactions between homopolyribonucleotides and bacterial RNA in solutions of high ionic strength, Part I, 477
—, Hayes, F. & Guérin, M. F., Association of rapidly labelled bacterial RNA with ribosomal RNA in solutions of high ionic strength, Part II, 494
Hayes, F. (see Hayes, D. H.), 494
Haywood, A. M. & Harris, J. M., Actinomycin inhibition of MS2 replication, 448
Hevea brasiliensis latex, structural stability of the protein microfibrils, 321
Hershey, J. W. B. & Monro, R. E., A competitive inhibitor of the GTP reaction in protein synthesis, 68
Homopolyribonucleotides interacting with bacterial RNA in solutions of high ionic strength, 477
Hotchkiss, R. D. (see Roger, M.), 156, 174
Hutchison, C. A., III & Sinsheimer, R. L., The process of infection with bacteriophage ϕX174. X. Mutations in a ϕX lysis gene, 429

Immunoglobulins γA and γG heavy chain structure in BALB/c mice, close linkage in controlling genes, 516
Inhibitor, competitive, of the GTP reaction in protein synthesis, 68
Inman, R. B., A denaturation map of the phage DNA molecule determined by electron microscopy, 464

Jayaraman, K., Müller-Hill, B. & Rickenberg, H. V., Inhibition of the synthesis of β-galactosidase in *Escherichia coli* by 2-nitrophenyl-β-D-fucoside, 339
Jones, D. S. (see Davies, J.), 48
Julien, J. (see Rosset, R.), 308

Kaji, A. (see Kaji, H.), 219
Kaji, H., Suzuka, I. & Kaji, A., Binding of specific sRNA to template ribosome complex: effect of proteolytic enzymes, 219
Khorana, H. G. (see Davies, J.), 48
Kingsbury, D. W., Newcastle disease virus RNA. I. Isolation and preliminary characterization of RNA from virus particles, 195
— — — — — II. Preferential synthesis of RNA complementary to parental viral RNA by chick embryo cells, 204
Kisseleva, N. P. (see Tikchonenko, T. I.), 58
Kurland, C. G., The requirements for specific sRNA binding by ribosomes, 90

λ exonuclease regulation. I. Properties of λ exonuclease purified from lysogens of λ_{TII} and wild type, 235
— — —. II. Joint regulation of exonuclease and a new λ protein, 251
Lang, G. & Marshall, W., Mössbauer effect in some haemoglobin compounds, 385
Lee, B. F. (see Bernhard, S. A.), 405
Lieberman, R. & Potter, M., Close linkage in genes controlling γA and γG heavy chain structure in BALB/c mice, 516
Lodemann, E. (see Wacker, A.), 382
Lunt, M. R. & Sinsheimer, R. L., Inhibition of RNA bacteriophage growth by actinomycin D, 541
Lysogens, λ_{TII} and wild type, from which λ exonuclease is purified, 235

Magnesium, effect of removal upon the unfolding of *Escherichia coli* ribosomes, 356
Marshall, W. (see Lang, G.), 385
McCallum, M. (see Walker, P. M. B.), 228
Messenger binding to ribosomal RNA, 21
Messenger RNA in *Escherichia coli*, methylation, 38
1-Methyl-5-fluorouracil and 9-ethyl-2-aminopurine: the crystal structure of the complex, 1
Methylated polycytidylic acids, preparation and properties, 529
Methylation of messenger RNA in *Escherichia coli*, 38
Monier, R. (see Rosset, R.), 308
Monro, R. E. (see Hershey, J. W. B.), 68

Moore, P. B., Methylation of messenger RNA in *Escherichia coli*, 38
—, Polynucleotide attachment to ribosomes, 8
— & Asano, K., Divalent cation-dependent binding of messenger to ribosomal RNA, 21
Mössbauer effect in some haemoglobin compounds, 385
MS2 (see bacteriophage), 448, 541
Müller-Hill, B. (see Jayaraman, K.), 339
Mutants, *amber*, of phage T4, the replicating DNA in infected *Escherichia coli*, 144
Mutations in a ϕX lysis gene, 429
Myeloma γA and γG immunoglobulins heavy chain structure in BALB/c mice, close linkage in controlling genes, 516

Neomycin- and streptomycin-induced misreading of codons, with ribopolynucleotides containing two nucleotides in alternating sequence as templates, 48
Newcastle disease virus RNA. I. Isolation and preliminary characterization of RNA from virus particles, 195
— — — —. II. Preferential synthesis of RNA complementary to parental viral RNA by chick embryo cells, 204
2-Nitrophenyl-β-D-fucoside, a specific inhibitor of the synthesis of β-galactosidase in *Escherichia coli*, 339

Perutz, M. F. (see Greer, J.), 547
ϕX174 (see bacteriophage), 429
Pneumococcal DNA, denatured, fractionation: evidence for resolution of complementary strands, 174
— —, partially denatured, from which native and denatured fractions are separated, 156
Poliovirus, purification and properties of the double-stranded RNA, 421
Polycytidylic acids, methylated, preparation and properties, 529
Polynucleotide attachment to ribosomes, 8
Polyribonucleotide, 2-aminopurine, synthesis and coding properties, 382.
Polyuridylic acid coding ambiguous amino acid: the nature of the products, 344
Potter, M. (see Lieberman, R.), 516
Proflavin binding to α-chymotrypsin and enzyme conformation during catalysis, 405
Protein microfibrils of *Hevea brasiliensis* latex, structural stability, 321
— of ribosomes of *Halobacterium cutirubrum*, reassociation, 330
— synthesis, a competitive inhibitor of the GTP reaction, 68
Purine–pyrimidine, hydrogen-bonded complex: 9-ethyl-2-aminopurine and 1-methyl-5-fluorouracil, the crystal structure, 1

Radding, C. M., Regulation of λ exonuclease. I. Properties of λ exonuclease purified from lysogens of λ_{T11} and wild type, 235
— & Shreffler, D. C., Regulation of λ exonuclease. II. Joint regulation of exonuclease and a new λ protein.
Radiophosphorus-induced single-chain interruptions in DNA, 288
Reese, C. B. (see Brimacombe, R. L. C.), 529
Rhoades, M. &. Thomas, C. A., Jr., Radiophosphorus-induced single-chain interruptions in DNA, 288
Ribonucleic acid, bacterial, interacting with homopolyribonucleotides in solutions of high ionic strength, 477
— — bacteriophage growth inhibited by actinomycin D, 541
— — composition of bacteria as a function of growth rate, 308
— —, double-stranded, of poliovirus, purification and properties, 421
— — from bacteria, rapidly labelled, association with ribosomal RNA in solutions of high ionic strength, 494
— —, messenger binding to ribosomal, 21
— — —, in *Escherichia coli*, methylation, 38
— — of Newcastle disease virus. I. Isolation and preliminary characterization, 195
— — — — —. II. Preferential synthesis of RNA complementary to parental viral RNA by chick embryo cells, 204

Ribonucleic acid, soluble, the requirements for binding by ribosomes, 90
— —, specific soluble, bound to template ribosome complex: effect of proteolytic enzymes, 219
— — — to virus, fractionation by caesium sulphate equilibrium density-gradient centrifugation, 372
Ribopolynucleotides containing two nucleotides in alternating sequence as templates, streptomycin and neomycin induced misreading of codons, 48
Ribosomal bound to messenger RNA, 21
— protein of an extremely halophilic bacterium, reassociation, 330
— RNA, association with rapidly labelled bacterial RNA in solutions of high ionic strength, 494
Ribosomes binding polynucleotides, 8
— — specific sRNA, the requirements, 90
— bound to specific sRNA; effect of proteolytic enzymes, 219
— of *Escherichia coli*, unfolding by removal of magnesium, 356
Rickenberg, H. V. (see Jayaraman, K.), 339
Roger, M., Beckmann, C. O. & Hotchkiss, R. D., Fractionation of denatured pneumococcal DNA: evidence for resolution of complementary strands, 174
— — —. Separation of native and denatured fractions from partially denatured pneumococcal DNA, 156
Rosset, R., Julien, J. & Monier, R., RNA composition of bacteria as a function of growth rate, 308
Rumen, N. (see Greer, J.), 547

Shreffler, D. C. (see Radding, C. M.), 251
Sinsheimer, R. L. (see Hutchison, C. A., III.), 429
— (see Lunt, M. R.), 541
Sobell, H. M., The crystal structure of a purine–pyrimidine hydrogen-bonded complex: 9-ethyl-2-aminopurine and 1-methyl-5-fluorouracil, 1
Soluble RNA (see transfer RNA), 90, 219
Streptomycin- and neomycin-induced misreading of codons, with ribopolynucleotides containing two nucleotides in alternating sequence as templates, 48
Superinfections, heterologous and homologous, replication of secondary bacteriophage genomes 292
Suzuka, I. (see Kaji, H.), 219

T4 (see bacteriophage), 127, 144, 228
T5 (see bacteriophage), 262
T-even (see bacteriophage), 109
Tashjian, Z. H. (see Bernhard, S. A.), 405
Thomas, C. A., Jr. (see Abelson, J.), 262
— (see Rhoades, M.), 288
Tikchonenko, T. I., Dobrov, E. N., Velikodvorskaya, G. A. & Kisseleva, N. P., Peculiarities of the secondary structure of phage DNA *in situ*, 58
Tomkins, G. M. (see Appella, E.), 77
Transfer RNA binding by ribosomes, the requirements, 90
— —, specific, bound to template ribosome complex: effect of proteolytic enzymes, 219

Velikodvorskaya, G. A. (see Tikchonenko, T. I.), 58
Viral-specific RNA, fractionation by caesium sulphate equilibrium density-gradient centrifugation, 372
Virus, Newcastle disease, RNA. I. Isolation and preliminary characterization, 195
— — — — II. Preferential synthesis of RNA complementary to parental viral RNA by chick embryo cells, 204
—, polio, purification and properties of the double-stranded RNA, 421

Wacker, A., Lodemann, E., Gauri, K. & Chandra, P., Synthesis and coding properties of 2-aminopurine polyribonucleotide, 382
Walker, P. M. B. & McCallum, M., Renaturation of T4 bacteriophage DNA in the presence of excess heterologous DNA, 228